



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2025/B/5982174 Dated/दिनांक : 25-02-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	18-03-2025 12:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	18-03-2025 12:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare	
Department Name/विभाग का नाम	Department Of Health Research	
Organisation Name/संगठन का नाम	Indian Council Of Medical Research (icmr)	
Office Name/कार्यालय का नाम	Icmr National Institute Of Traditional Medicine	
क्रेता ईमेल/Buyer Email rajvali.s@icmr.gov.in		
Total Quantity/कुल मात्रा	1479	
Item Category/मद केटेगरी	n-Hexane 2.5 ltr , Hexane-AR 2.5 Ltr , Ethyl Acetate ER 2.5Ltr , Dichloromethane 2.5 Ltr , Diethyl Ether ER 500 ml , Methanol ER 2.5 Ltr , Methanol HPLC Gradient Grade 2.5 Ltr , Tetrahydrofuran HPLC 1 Ltr , Silica Gel 230-400 Mesh 500 gm , Silica Gel 60-120 Mesh 500 gm , Sephadex G-10 50 gm , Orientin , Vitexin , Isovitexin , Homoorienti , Isoorientin , Apigenin , Oleic Acid , Linoleic Acid , Methyl Palmitate , Palmitic Acid , Luteolin , Myricetin , Ergosterol , Enlarging Connecting Adaptor , Condensers , Funnel 75 mm , Funnel 100 mm , Funnel 250 ml , Condenser 3741016 , Condenser 3741020 , Rod for Retort Base Burette Stand , Clamps , Bossheads , Spatula 6 inch , Spatula 8 inch , Glass Mortar and Pestle 150 X 110 , Glass Mortar and Pestle 80 X 60 , Boropure Celulose Nitrate Membrane , Boropure Nylon 66 membrane HPLC Grade , Pasteur Pipette, LDP 3 ml , Handypette Pipette Aid 10 ml , Parafilm , Chloroform-d , Methanol-d4 , Dimethyl Sulfoxide-d6	

Bid Details/बिड विवरण

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

n-Hexane, Hexane-AR, Ethyl Acetate ER, Dichloromethane, Diethyl Ether ER, Methanol ER, Methanol HPLC Gradient Grade, Tetrahydrofuran HPLC, Silica Gel 230-400 Mesh, Silica Gel 60-120 Mesh, Sephadex G-10, Orientin, Vitexin, Isovitexin, Homoorienti, Isoorientin, Apigenin, Oleic Acid, Linoleic Acid, Methyl Palmitate, Palmitic Acid, Luteolin, Myricetin, Ergosterol, Enlarging Connecting Adaptor, Condensers, Condensers, Funnel 75 mm, Funnel 100 mm, Funnel 250 ml, Funnel 250 ml, Condenser 3741016, Condenser 3741020, Rod for Retort Base (Burette Stand), Clamps, Bossheads, Spatula 6 inch, Spatula 8 inch, Spatula 8 inch , Spatula 6 inch, Glass Mortar and Pestle 150 X 110, Glass Mortar and Pestle 80 X 60, Boropure Celulose Nitrate Membrane, Boropure Nylon 66 membrane HPLC Grade, Pasteur Pipette, LDP 3 ml, Handypette Pipette Aid 10 ml, Parafilm, Chloroform-d, Methanol-d4, Dimethyl Sulfoxide-d6

Searched String: n-Hexane

N-Hexane, Mobile Containers For Solid Waste (Industrial) - IS 12402, N - Hexane AR Grade, Hexane, Sodium Hexane Sulphonate / Hexane Sulphonic Acid Sodium, Credenzas, N Heptane, Classroom Tables, n - Butanol, Classroom Stools

Searched String: Hexane-AR

N - Hexane AR Grade, Hexane, N-Hexane, Hydrochloric Acid as per IS 265, Sodium Hexane Sulphonate / Hexane Sulphonic Acid Sodium, Yttrium Oxide AR, Ammonium acetate AR Grade, Sulphuric Acid as per IS 266, Cupferron, ACETYLE ACETONE

Searched String: Ethyl Acetate ER

Ethyl Acetate, Yoga Mats, ETHYL ACETATE- ONGC, Ethyl Vinyl Acetate Foam Sheet, SODIUM ACETATE, GLACIAL ACETIC ACID, Ammonium acetate, Barium Acetate, Eyeglasses, Zinc Acetate

Searched String: Dichloromethane

Category not available on GeM for the text string uploaded by the buyer

Searched String: Diethyl Ether ER

Diethyl ether, Petroleum ether, Ethylene Glycol Monobutyl Ether, Methyl Tert-Butyl Ether, GTAW wire ER 347 - BHEL, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Diethyl Phenyl Acetamide 20% (Depa 20%) (Defence), Ethylene Glycol Mono Butyl Ether (EGMBE) (ONGC), 2-Phenoxyethanol, Diethylcarbamazine (DEC) Oral Liquid

Searched String: Methanol ER

Methanol - (Commercial Grade) for ONGC as per IS 517, GTAW wire ER 347 - BHEL, Methanol for Bulk Supply as per IS 517, Methanol as per IS 517, Cap FS Disruptive (JSS), Direct Methanol Fuel Cell (600 Wh) as per MHA QR, Drip - Leg Drain, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Karl Fischer Reagent, Readymade Garments from Erode - ODOP

Searched String: Methanol HPLC Gradient Grade

Tetrahydrofuran HPLC Grade, Methanol - (Commercial Grade) for ONGC as per IS 517, Cellulose Nitrate Filter Paper (V2), GLACIAL ACETIC ACID, Triethylamine

Searched String: Tetrahydrofuran HPLC

Tetrahydrofuran HPLC Grade, HPLC Columns (High pressure liquid chromatography), High Performance Liquid Chromatography (HPLC) System, Automated HPLC System for Separation of complex mixtures, GLACIAL ACETIC ACID

Searched String: Silica Gel 230-400 Mesh

Silica Gel Breather, Silica Gel as per IS 3401, TLC Silica Gel H Plates, TLC Silica Gel 60G Plates, TLC plate, Silica gel 60

Searched String: Silica Gel 60-120 Mesh

TLC plate, Silica gel 60, Silica Gel as per IS 3401, TLC Silica Gel 60G Plates, Silica Gel Breather, Online UPS (V2), Cotton Towels as per IS 7056, TLC Silica Gel H Plates, Drinking Water Cooler (V2) as per IS 1475, Super Oxidized Solution or Gel for Wound Care, Small Angle Grinders

Searched String: Sephadex G-10

Chlorpyrifos 10% GR, Desktop Computers, Imazethapyr 10% SL, Safety Glass as per IS 2553, Foldable Jerri Can (10 ltr), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Probiotics 10 Billion CFUs Capsules, Meeting Table (V2), CHARGE FIRE EXTINGUISHER DEFENCE DRY POWDER 10 KG (DRY CHEMICAL POWDER 10 KG), water baths

Searched String: Orientin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Vitexin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Isovitexin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Homoorienti

Category not available on GeM for the text string uploaded by the buyer

Searched String: Isoorientin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Apigenin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Oleic Acid

Oleic Acid (ONGC), Stationary Valve Regulated Lead Acid

Bid Details/las factor Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve

Regulated Lead Acid Batteries (V2) as per IS 15549, Acid Orange, Adipic Acid, Lead Acid starter Batteries, Perchloric acid, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401

Searched String: Linoleic Acid

LINOLEIC ACID, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Humic Acid and Fulvic Acid, Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Acid Orange, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401, Adipic Acid, Lead Acid starter Batteries, Perchloric acid

Searched String: Methyl Palmitate

Methyl Orange, Methyl ethyl ketone, Methyl Benzoate, Diclofenac + Linseed Oil + Menthol + Methyl Salicylate Topical Forms (V2), Methyl acetate, Methyl Iodide, Thiophanate Methyl 70% WP, Methyl Red, Methyl isobutyl ketone, Methyl Salicylate

Searched String: Palmitic Acid

Humic Acid and Fulvic Acid, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Veratric Acid (3,4-Dimethoxybenzoic Acid), Acid Orange, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Adipic Acid, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401, Perchloric acid, Lead Acid starter Batteries, Periodic Acid

Searched String: Luteolin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Myricetin

Category not available on GeM for the text string uploaded by the buyer

Searched String: Ergosterol

Category not available on GeM for the text string uploaded by the buyer

Searched String: Enlarging Connecting Adaptor

Connecting Rod Assembly, Connection Pipe with Nuts (V2), Sterile Connecting Device, Laboratory Glass Adapters, DC ADAPTOR FOR CDSC (OFB), Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Adaptor sleeve along with locknut and washer, Electrical connection Lugs or thimbles, Syringe Filter, Pigtails for Fiber Cable Connection

Searched String: Condensers

Welded Austenitic Stainless Steel Tubes For Condensers And Heat Exchangers- BHEL, Laboratory Condenser, Air Condenser

Searched String: Condensers

Welded Austenitic Stainless Steel Tubes For Condensers And

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Heat Exchangers- BHEL, Laboratory Condenser, Air Bid Details विद्या

Searched String: Funnel 75 mm

Funnel, Executive Computer Table, funnel stand, Funnel Plastic-IS:7374, Metal Shelving Racks as per IS 1883, Sulfosulfuron 75% WG, Classroom Chairs, URF 75:25-Defence, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), MM Personality inventory

Searched String: Funnel 100 mm

Funnel, Executive Computer Table, funnel stand, Funnel Plastic-IS:7374, Metal Shelving Racks as per IS 1883, MM Personality inventory, Classroom Chairs, 81 MM Mortar Simulator (MHA), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Tube 35 mm-OFB

Searched String: Funnel 250 ml

Funnel, Speed Breaker (V2), funnel stand, Liquid Consortia (V2), Funnel Plastic-IS:7374, Dak Pad (V2), Charge Fire Extinguisher AFFF 550 ML (Defence), Toilet Soap, Liquid As Per IS 4199, Anti TB Drugs - Ethionamide 250 mg Tablets, Floor Cleaner (V2)

Searched String: Funnel 250 ml

Funnel, Speed Breaker (V2), funnel stand, Liquid Consortia (V2), Funnel Plastic-IS:7374, Dak Pad (V2), Charge Fire Extinguisher AFFF 550 ML (Defence), Toilet Soap, Liquid As Per IS 4199, Anti TB Drugs - Ethionamide 250 mg Tablets, Floor Cleaner (V2)

Searched String: Condenser 3741016

Condenser Coil, Laboratory Condenser, Air Condenser, Welded Austenitic Stainless Steel Tubes For Condensers And Heat Exchangers- BHEL

Searched String: Condenser 3741020

Condenser Coil, Laboratory Condenser, Air Condenser, Welded Austenitic Stainless Steel Tubes For Condensers And Heat Exchangers- BHEL

Searched String: Rod for Retort Base (Burette Stand)

Rod for Retort Base, Automatic Fiber Analyzer (FSSAI)

Searched String: Clamps

Hysterectomy Clamps, true rms clamp meter, Surgical Clamps, Antegrade Root Cardioplegia Cannula (V2), Pipe Clamps (V2), DeBakey Bulldog Clamps, umbilical cord clamps, Substation Clamps / Connectors, burette stand, Three Finger Clamps

Searched String: Bossheads

Category not available on GeM for the text string uploaded by the buyer

Searched String: Spatula 6 inch

Bid Details/las laggue Spatulas, Micro Spatula-IS:3888, Dental Plaster Spatula -

(RBSK), All in One PC, Hand Operated Hydraulic Pipe Bender, 6-Benzylaminopurine, Steel Bookcases as per IS 7761, Domestic Kitchen Spatulas (V2)

Searched String: Spatula 8 inch

Laparoscopic spatula, Cleaning Duster (V2), HDMI 8 x 8 Switcher, Micro Spatula-IS:3888, Surgical Spatulas, Desktop Computers, Dental Plaster Spatula -(RBSK), laboratory hotplates, 8-Hydroxyguinoline, All in One PC

Searched String: Spatula 8 inch

Laparoscopic spatula, Cleaning Duster (V2), HDMI 8 x 8 Switcher, Micro Spatula-IS:3888, Surgical Spatulas, Desktop Computers, Dental Plaster Spatula -(RBSK), laboratory hotplates, 8-Hydroxyquinoline, All in One PC

Searched String: Spatula 6 inch

Laparoscopic spatula, Cleaning Duster (V2), Surgical Spatulas, Micro Spatula-IS:3888, Dental Plaster Spatula - (RBSK), All in One PC, Hand Operated Hydraulic Pipe Bender, 6-Benzylaminopurine, Steel Bookcases as per IS 7761, Domestic Kitchen Spatulas (V2)

Searched String: Glass Mortar and Pestle 150 X 110

Cotton Towelling and Towels (V2) as per IS 7056, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Glass Tableware, Web Application Firewall (V2), RP - 54 Acknowledgement Due Card, pestle or mortars - soil sample grinder, Steel Channels and Hot Rolled Steel Section (in Metric Tonne) as per IS 808, Writing and Printing Papers Conforming to IS 1848 (Part 1), Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Salver

Searched String: Glass Mortar and Pestle 80 X 60

Cotton Towelling and Towels (V2) as per IS 7056, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Glass Tableware, Web Application Firewall (V2), Prefab Shelters with PUF Panel of Size 7.620 M X 18.491 M (as per GeM Drawing), Computer Paper as per IS 12766, IS 9055, IS 1060, IS 1064, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, pestle or mortars - soil sample grinder, Writing and Printing Papers Conforming to IS 1848 (Part 1), Work Benches

Searched String: Boropure Celulose Nitrate Membrane

Cellulose Nitrate Filter Paper (V2)

Searched String: Boropure Nylon 66 membrane HPLC Grade

Cellulose Nitrate Filter Paper (V2)

Searched String: Pasteur Pipette, LDP 3 ml

Blood Collection Tube, Drip - Leg Drain, Sterile Hypodermic Syringe (V3), VTM KITS (SWINE FLU), Disposable Syringes as per IS 10258, Lunch Box (V2), Sterile Hypodermic Syringe for Manual use (V2), Sofas (V2), Plasmid Kits, Public Place

Seating Chair Bid Details /बिंड विवरण			
	Searched String: Handypette Pipette Aid 10 ml		
	Motorized Pipette Controller, universal pipette tips, Drip - Leg Drain, Disposable Syringes as per IS 10258, Antiseptic Liquid, Glass Ionomer Cement for Dentistry, Crepe Bandage (V2), Sterile Hypodermic Syringe (V3), Cotton Bandage Cloth (V2), Laboratory Glassware - Burettes (V2) as per IS 1997		
	Searched String: Parafilm		
	Parafilm (Version 2)		
	Searched String: Chloroform-d		
	Chloroform, Modular Table, D-Biotin, D and C Set, D-Mannitol, D (+) Xylose, D-Fructose, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Actinomycin D Injection, Laboratory Incubators		
	Searched String: Methanol-d4		
	Methanol - (Commercial Grade) for ONGC as per IS 517, Steel Bookcases as per IS 7761, Methanol as per IS 517, Methanol for Bulk Supply as per IS 517, Direct Methanol Fuel Cell (600 Wh) as per MHA QR, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cap FS Disruptive (JSS), Karl Fischer Reagent, water baths, Geological compass		
Searched String: Dimethyl Sulfoxide-d6			
	Dimethyl sulfoxide, Steel Bookcases as per IS 7761, Dimethyl Disulphide (DMDS) for Bulk Supply, Dental Composites, N,N Dimethyl P Phenylenediamine Dihydrochloride, Electrical Box Extension (V2), 2-4-D Dimethyl Amine 58 % SL Salts as per IS:1827, Isopropyl		
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Alcohol (2 - Propanol), Modular Table, Dimethylformamide Methanol - (Commercial Grade) for ONGC as per IS 517 Ethyl Acetate Funnel		
BOQ Title/बीओक्यू शीर्षक	Chemicals and Consumables AMR RKJ		
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	6 Lakh (s)		
Years of Past Experience Required for same/similar service/उर्न्ही/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)		
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छ्ट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes		
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes		

Bid Details/बिड विवरण				
Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authoriza Certificate, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested ATC), Additional Doc 4 (Requested in ATC), Compliance BoQ specification and supporting document *In case any bidder is seeking exemption from Experience Criteria, the supporting documents to prove heligibility for exemption must be uploaded for evaluation the buyer				
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No			
Past Performance/विगत प्रदर्शन	50 %			
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No			
Type of Bid/बिंड का प्रकार	Two Packet Bid			
Primary product category	n-Hexane 2.5 ltr			
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days			
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No			
Estimated Bid Value/अनुमानित बिंड मूल्य 1449180				
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation			
Arbitration Clause	No			
Mediation Clause	No			
EMD Detail/ईएमडी विवरण				
Required/आवश्यकता	No			
ePBG Detail/ईपीबीजी विवरण				
Required/आवश्यकता	No			
MII Purchase Preference/एमआईआई खरीद वरीयता				
MII Purchase Preference/एमआईआई खरीद वरीयता	Yes			
MSE Purchase Preference/एमएसई खरीद वरीयता	MSE Purchase Preference/एमएसई खरीद वरीयता			

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimat ed Value	Item/Category	Consignee/Rep orting Officer		
		N-hexane 2.5 Ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	30
		Hexane-ar 2.5 Ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	40
		Ethyl Acetate Er 2.5ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	30
		Dichloromethane 2.5 Ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	24
Schedule 1	670750	Diethyl Ether Er 500 MI	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	30
Scriedule 1	670750	Methanol Er 2.5 Ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	30
		Methanol Hplc Gradient Grade 2.5 Ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	32
		Tetrahydrofuran Hplc 1 Ltr	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	24
		Silica Gel 230-400 Mesh 500 Gm	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	50
		Silica Gel 60-120 Mesh 500 Gm	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	30
		Sephadex G-10 50 Gm	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	2
		Orientin	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Vitexin	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Isovitexin	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Homoorienti	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

		Isoorientin	Rajavali	N.H No. 4, Nehru Nagar,	1
				(Opposite KLE Hospital) 590010 N.H No. 4, Nehru Nagar,	
Schedule 2	531987	Apigenin	Rajavali	(Opposite KLE Hospital) 590010	1
		Oleic Acid	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Linoleic Acid	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Methyl Palmitate	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Palmitic Acid	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Luteolin	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Myricetin	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Ergosterol	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Enlarging Connecting Adaptor	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	5
		Condensers	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	5
		Condensers	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	5
		Funnel 75 Mm	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	20
		Funnel 100 Mm	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	20
		Funnel 250 MI	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	2
		Funnel 250 MI	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	2
		Condenser 3741016	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Condenser 3741020	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
	01.405	Rod For Retort Base Burette Stand	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	6
Schedule 3	81405	Clamps	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	20
		Bossheads	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	20
		Spatula 6 Inch	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	6
		Spatula 8 Inch	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	6

		Spatula 8 Inch	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	6
		Spatula 6 Inch	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	6
	Glass Mortar And Pestle 150 X 110		Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Glass Mortar And Pestle 80 X 60	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Boropure Celulose Nitrate Membrane	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	2
		Boropure Nylon 66 Membrane Hplc Grade			2
		Pasteur Pipette, Ldp 3 MI	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1000
Schedule 4	15168	Handypette Pipette Aid 10 MI	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Parafilm	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	3
		Chloroform-d	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
Schedule 5	149870	Methanol-d4	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1
		Dimethyl Sulfoxide-d6	Rajavali	N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010	1

N-Hexane 2.5 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	30	15

Hexane-AR 2.5 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	40	15

Ethyl Acetate ER 2.5Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	30	15

Dichloromethane 2.5 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	24	15

Diethyl Ether ER 500 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advican	, Dlagge	rofor	attached D	\sim	document	for	dotailed	concia	ا مم	ict or	446	livery	noriod
AUVISOI	/-Piease	reiei	attached B	UU	aocument	101	uetalleu	CONSIG	iee i	ıst ar	iu ue	livery	periou.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	30	15

Methanol ER 2.5 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	30	15

Methanol HPLC Gradient Grade 2.5 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	32	15

Tetrahydrofuran HPLC 1 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	24	15

Silica Gel 230-400 Mesh 500 Gm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

S	pecification Document	<u>View File</u>
В	OQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	50	15

Silica Gel 60-120 Mesh 500 Gm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन	
-------------------	--	-------------	-----------------	---------------------------------	--

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	30	15

Sephadex G-10 50 Gm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	2	15

Orientin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Vitexin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Isovitexin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Homoorienti

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Isoorientin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Apigenin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Oleic Acid

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Linoleic Acid

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Methyl Palmitate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Palmitic Acid

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Luteolin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Myricetin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Ergosterol

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>		
BOQ Detail Document	View File		

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Enlarging Connecting Adaptor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advican	, Dlagge	rofor	attached D	\sim	document	for	dotailed	concia	ا مم	ict or	446	livery	noriod
AUVISOI	/-Piease	reiei	attached B	UU	aocument	101	uetalleu	CONSIG	iee i	ıst ar	iu ue	livery	periou.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	5	15

Condensers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	5	15

Condensers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	5	15

Funnel 75 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	20	15

Funnel 100 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	20	15

Funnel 250 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन	
-------------------	--	-------------	-----------------	---------------------------------	--

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	2	15

Funnel 250 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	2	15

Condenser 3741016

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Condenser 3741020

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Rod For Retort Base Burette Stand

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	6	15

Clamps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	20	15

Bossheads

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

	Specification Document	<u>View File</u>
Ш		

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	20	15

Spatula 6 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	6	15

Spatula 8 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	6	15

Spatula 8 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	6	15

Spatula 6 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	6	15

Glass Mortar And Pestle 150 X 110

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Glass Mortar And Pestle 80 X 60

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Boropure Celulose Nitrate Membrane

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	2	15

Boropure Nylon 66 Membrane HPLC Grade

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	2	15

Pasteur Pipette, LDP 3 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery	period.
--	---------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1000	15

Handypette Pipette Aid 10 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

9	Specification Document	View File
	BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Parafilm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	3	15

Chloroform-d

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Methanol-d4

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Dimethyl Sulfoxide-d6

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajavali	590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital)	1	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

- 1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
- 2. Make in india specific authorisation certificate needs to be enclosed.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

7. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

9. Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

10. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

11. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

12. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1. Tender Inviting Authority: This tender enquiry for procurement of Chemicals & Consumables is being invited by the Director, ICMR-NITM to be supplied at Stores Section, ICMR-NITM, Nehru Nagar, Belagavi, Karna taka- 590010
- 2. Bidders needs to sign a Bid securing declaration accepting that if they withdraw or modify their Bids during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids/request for proposals document, they will be suspended for the period of 1 year for bids/request for proposals document from being eligible to submit Bids/Proposals for contracts with ICMR.
- 3. Eligibility: The Bidder must be a Manufacturer or its authorized Agent.
- 4. One Bid per Bidder: A firm shall submit only one bid either individually or as a partner of a joint venture. A firm that submits either individually or, as a member of a joint venture, more than one bid will cause all the proposals with the firms' participation to be disqualified.
- 5. ICMR-NITM reserves the right to cancel the bid in part or full without assigning any reason and liability on the buyer. On such cancellation the decision of the Director, ICMR-NITM will be binding and final on the subject.
- 6. Inspections and Tests: ICMR-NITM or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications. Further, The Supplier may have an independent quality test conducted and the cost of such tests will be borne by the Supplier. b. Inspection of good s shall be carried out by representative of ICMR-NITM and they will issue an acceptance certificate.
- 7. Packing: (a) The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be s

ufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperat ures, salt, and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods, final destination and the absence of heavy handling facilities at all points in transit

- (b) The packing, marking, and documentation within and outside t he packages shall comply strictly with s uch special requirements as shall be expressly provided for in the Contract, including additional requirements strictly as per Technical Specifications, and in any subsequent instructions ordered by the Procurement agency.
- (c) Packing and Marking shall be strictly as per Technical Specifications and will be inspected in terms of pr ovisions of specifications before clearing for dispatch.
- 8. Payment: 100% payment shall be made after receipt of complete goods/Equipment in good condition, a cceptance and successful installation of goods/Equipment and subject to submission of Performance Bank Guarantee (if applicable). This payment is subject to recoveries, if any, either on account of statutory deduction/ taxes/ Liquidated Damages, if any and non-rectification of defects/ deficiencies not attended by the Supplier or otherwise. The firm is required to submit the following documents to ICMR-NITM for payment:
- (a) Copy of Purchase Order;
- (b) Copy of Extension Order (if any);
- (c) Invoice in original showing contract number, goods description, quantity, unit price and total amount;
- (d) Installation Report (if required) in original duly signed and sealed by the authorized officer of the consig nee;
- (e) Acknowledgement of Receipt of Goods issued by the consignee;
- (f) Performance Bank Guarantee (if required)
- 9. Settlement of Disputes: (a) If any dispute or difference of any kind whatsoever shall arise between the P rocurement agency and the Supplier in connection with or arising out of the Contract, the parties shall mak e every effort to resolve amicably such dispute or difference by mutual consultation.
- (b) If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual co nsultation, then either the Procurement agency or the Supplier may give notice to the other party of its int ention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
- (c) Any dispute or difference in respect of which a notice of intention to commence arbitration has been gi ven in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced p rior to or after delivery of the Goods under the Contract. In the case of a dispute or difference arising betw een the Purchaser/Consignee and a domestic Supplier relating to any matter arising out of or connected wi th the contract, such dispute or difference shall be referred to the sole arbitrator appointed by Director, IC MR-NITM.
- (d) Arbitration proceedings shall be conducted in accordance with the rules of procedure which are as follows.
- (i) The venue of Arbitration shall be the place from where the contract is issued and the language of the ar bitration proceedings and that of all councils and communications between the parties shall be English.
- (ii) The decision of the majority of arbitrators shall be final and binding upon parties.
- (iii) Settlement of disputes through pre-institution mediation and settlement in accordance with the comme rcial courts, commercial division and commercial appellate division of High Courts (Amendment) Act 2018, No. 28 of 2018 Chapter IIIA.
- (e) Settlement of Disputes: Notwithstanding any reference to arbitration herein, a. the parties shall continu e to perform their respective obligations under the Contract unless they otherwise agree; and The Procure ment agency shall pay the Supplier any monies due to the Supplier.
- 10. Consignee details (Place of Delivery, Installation, Commissioning) ICMR-NITM, Nehru Nagar, Belagavi, Karnataka- 590010
- 11. Insurance: Unless otherwise instructed, the supplier shall make arrangements for insuring the goods a

gainst loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:

- (a) In case of supply of goods on Consignee site basis, the supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be cover ed by the Supplier by getting the stores duly insured. The insurance cover shall be obtained by the Supplie r and should be valid till 3 months after the receipt of goods by the Consignee.
- (b) If the Equipment/Goods is not commissioned and handed over to the consignee within 3 months, the in surance will be got extended by the supplier at their cost till the successful installation, testing, commissio ning and handing over of the goods to the consignee. In case the delay in the installation and commissioni ng is due to handing over of the site to the supplier by the consignee, such extensions of the insurance will still be done by the supplier, but the insurance extension charges at actual will be reimbursed.
- (c) Insurance would be borne by the Supplier. Insurance Certificate for 110% of the value to be insured in f avour of Director, ICMR-NITM, Belagavi, covering all risks basis for the goods from supplier/ manufacturer warehouse to consignee warehouse.
- 12. If the supplier fails to deliver any or all of the goods or fails to perform the services within the time fra me(s) incorporated in the contract, the purchaser/consignee shall, without prejudice to other rights and re medies available to the purchaser/consignee under the contract, deduct from the contract price, as liquidit y damages, calculated individually on each delayed performance of the contract including delivery, installation, non-submission of documents, etc. a sum equivalent to 0.5% per week of delay or part thereof until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximu m is reached purchaser may consider termination of the contract. Since the Liquidated damages are in virt ue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be d educted from the Supplier.
- 13. GST will be applicable as per the latest GoI notification.
- 14. Delivery of Equipment means Supply, Installation, Testing and Commissioning of Equipment.
- 15. Following categories of Sellers are exempted from Years of Experience and Turnover:
- (a) Micro and Small Enterprises who are manufacturer of the Primary Product Category and give specific co nfirmation to this effect at the time of bid submission and whose credentials are validated online through U dyam Registration/ Udyog Aadhaar (as validated by Government from time to time) and through uploaded supporting documents.
- (b) Start-ups as recognized by Department of Industrial Policy and Promotion (DIPP).
- 16. Bidders need to indicate the percentage of local content and the component wise bifurcation of the loc al content. Bidder has inform the level of collaboration/ joint venture/ etc with the Indian firm with location of the office for manufacturing this goods in India as per Government of India - Make in India (MII) norms/ policy
- 17. The manufacturer's authorisation must be insisted upon on a tender specific basis, not general authori sation/ dealership, by so declaring in the bid documents clearly. In cases where the manufacturer has sub mitted the bid, the bids of its authorized dealer will not be considered. In cases of agents quoting in offsho re procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturer s or quote on their behalf in a particular tender enquiry. One manufacturer can also authorise only one age nt/dealer.
- 19.Bidder is requested to give undertaking Certificate regarding land border "I/ We have read the clause is sued by Government of India regarding restrictions on procurement from a bidder of a country which shar es a land border with India; I/ We certify that the bidder is not from such a country or, if from such a countr y, have been registered with the Competent Authority"

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

43 / 44

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---