

बिड दस्तावेज़ / Bid Document

| बिड विवरण / Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय / Bid End Date/Time | 19-06-2026 19:00:00 |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time | 19-06-2026 19:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम / Ministry/State Name | Ministry Of Health And Family Welfare |
| विभाग का नाम / Department Name | Department Of Health Research |
| संगठन का नाम / Organisation Name | Indian Council Of Medical Research (icmr) |
| कार्यालय का नाम / Office Name | Icmr National Institute Of Traditional Medicine |
| शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal | manjit.patil@icmr.gov.in |
| कुल मात्रा / Total Quantity | 1042 |
| वस्तु श्रेणी / Item Category | cDNA synthesis kit , TB Green Premix Ex Taq II Tli RNase H Plus , CTAB Extraction Solution , RNaseOUT , DNaseOUT , RNase zap , Taq DNA Polymerase with Standard Taq buffer , Quick CIP , Blunt TA Ligase Master Mix , KpnI HF , NheI HF , 100 bp DNA ladder , 10 mM dNTPs mix 0.8ml per Pack , LunaScript Multiplex One Step RT PCR Kit , Q5 Hot Start High Fidelity 2X Master Mix , TE Buffer , Molecular Biology Grade Water , 50X TAE 500 ML , Calcium chloride dihydrate , Agar Agar Type I , Tris Free base For Molecular Biology , SOB Growth Medium , Kanamycin Solution w 50 mg/ml Kanamycin in 0.9 percentage normal , Ampicillin Solution w 100mg/ml Ampicillin sodium salt in ste , Ethylenediaminetetraacetic acid tripotassium salt dihydrate , 2 Propanol 99.5 percentage for molecular biology suitable for RNAe , Surgical Spirit , Alcohol , Surface Disinfectant , Ethanol , Beckman Coulter AMPure XP 5 mL , AgPath ID One Step RT PCR Reagents , citric acid 77 92 9 500gms per pack , Ethanol absolute 99 percentage , Quick DNA RNA Miniprep Plus Kit , One step RT PCR kit , QIAprep Spin Miniprep Kit Plasmid Purification , Dichloromethane , Silica GEL 230 to 400 Mesh Chromatogr 500G |

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

cDNA synthesis kit, TB Green Premix Ex Taq II (Tli RNase H Plus), CTAB Extraction Solution, RNaseOUT, DNaseOUT, RNase zap, Taq DNA Polymerase with Standard Taq buffer, Quick CIP, Blunt/TA Ligase Master Mix, KpnI-HF, NheI-HF, 100 bp DNA ladder, 10 mM dNTPs mix, 0.8ml/Pack, LunaScript Multiplex One-Step RT-PCR Kit, Q5 Hot Start High-Fidelity 2X Master Mix, TE Buffer, Molecular Biology Grade Water, 50X TAE 500 ML, Calcium chloride dihydrate, Agar Agar, Type I, Tris, Free base, For Molecular Biology, SOB Growth Medium, Kanamycin Solution w/ 50 mg/ml Kanamycin in 0.9% normal, Ampicillin Solution w/ 100mg/ml Ampicillin sodium salt in ste, Ethylenediaminetetraacetic acid tripotassium salt dihydrate, 2-Propanol, 99.5%, for molecular biology, suitable for RNA e, Surgical Spirit, Alcohol, Surface Disinfectant, Ethanol, Beckman Coulter AMPure XP, 5 mL, AgPath-ID One-Step RT-PCR Reagents, citric acid, [77-92-9], 500gms/pack, Ethanol absolute99%, Quick-DNA/RNA Miniprep Plus Kit, One step RT-PCR kit, QIAprep Spin Miniprep Kit Plasmid Purification, Dichloromethane, Silica GEL 230-400 Mesh Chromatogr 500G

Searched String: cDNA synthesis kit
 Microwave Synthesis System, Biochemistry Reagent Kit for Human Samples, Benzilic Acid-EP, N-Butyric Acid (For Synthesis), personal safety kit reflective luminous garments, Facial Kit, Networking Trainer Educational Kit, Waxing Kit, Digital Trainer Kit, Ration Kit

Searched String: TB Green Premix Ex Taq II (Tli RNase H Plus)
 Category not available on GeM for the text string uploaded by the buyer

Searched String: CTAB Extraction Solution
 CetylTriMethlyAmmonium Bromide (CTAB), Ultra low temperature laboratory deep freezer, Extraction Apparatus, Software Based Solution For Mobile Devices And CDR Analysis, Microwave extraction system, Instrument Trolley for Hospitals (V2), Molecular Diagnostic Extraction Kits, Nucleic Acid Extraction Kit (Diagnostic Purpose), Wheel Chairs (V2), Welding Fume Extraction System

Searched String: RNaseOUT
 Category not available on GeM for the text string uploaded by the buyer

Searched String: DNaseOUT
 Category not available on GeM for the text string uploaded by the buyer

Searched String: RNase zap
 Ribonuclease A, Cricket Bat, Electric Trap for insects (UV based Electric Zappers), Sapota (Chikoo) Seeds, Cricket Ball

Searched String: Taq DNA Polymerase with Standard Taq buffer

बिड विवरण / Bid Details
Taq DNA Polymerase, Taq DNA Polymerase for In Vitro Diagnostic (IVD) Use

Searched String: Quick CIP

Quick Lime Burnt, HYDRAULIC FLAT FACE QUICK COUPLINGS, Burnt Quick Lime as per NALCO specifications, Quick Lime For Chemical Industries (V2) Conforming to IS 1540 Part 1, Antivirus Software, Cyanoacrylate Adhesive, Cement Capsule, CIPROFLOXACIN I.V. INFUSION INJECTION, Individual Interlocking Tiles For Kabaddi Mats, CIPROFLOXACIN + TINIDAZOLE

Searched String: Blunt/TA Ligase Master Mix

PCR Master Mix, PCR Master Mix for In Vitro Diagnostic (IVD) Use, Master mix for COVID-19 testing

Searched String: Kpnl-HF

HF Manpack Transceiver as per MHA QR (V2), Outdoor RF Antenna, HF Gate Antenna Systems, Complete HF communication system for airports (AAI), Hollow Steel Sections for Structural use, Static HF Transceiver as per MHA QR (V3), Fire - Resistant Hydraulic Fluids, (Part 2) as per IS 10532, 1 KW HF (HP) Trans-Receiver as per MHA QR (V2), Large Cardamom (Badi Elaichi) as per IS 13446, Refrigerant Gas

Searched String: Nhel-HF

HF Manpack Transceiver as per MHA QR (V2), Outdoor RF Antenna, HF Gate Antenna Systems, Complete HF communication system for airports (AAI), Hollow Steel Sections for Structural use, Static HF Transceiver as per MHA QR (V3), Fire - Resistant Hydraulic Fluids, (Part 2) as per IS 10532, 1 KW HF (HP) Trans-Receiver as per MHA QR (V2), Large Cardamom (Badi Elaichi) as per IS 13446, Refrigerant Gas

Searched String: 100 bp DNA ladder

DNA marker, Protein ladder marker, Foot Steps For Hospital/Clinic and Domestic Purposes, Industrial Tray Dryer (GAIL), Human Identification - DNA Kit Y Chromosomal STR (Forensic use), Taq DNA Polymerase

Searched String: 10 mM dNTPs mix, 0.8ml/Pack

Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Urine Collection Bag - Sterile (Single Use), Automatic Fire Ball for Fire - Extinguishing, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Laboratory Glassware - Burettes (V2) as per IS 1997, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: LunaScript Multiplex One-Step RT-PCR Kit

बिड विवरण / Bid Details
Real Time PCR Kits (V2), Nucleic Acid Amplification Test (NAAT) based PCR Diagnostic Kit for Human Samples

Searched String: Q5 Hot Start High-Fidelity 2X Master Mix
PCR Master Mix, Master mix for COVID-19 testing, PCR Master Mix for In Vitro Diagnostic (IVD) Use

Searched String: TE Buffer

Buffer Capsules, PH buffer solution, Buffer Tablets, Buffer Solutions, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Buffer Solutions (V2) Conforming to IS 15557, Ammonia Buffer Solution, Tris(hydroxymethyl)aminomethane, Dilution Buffer for Diagnostic Analyzers, Tisab III Solution

Searched String: Molecular Biology Grade Water

Molecular Grade Water, Beef Extract Reagent Grade, Ethidium Bromide, PCR grade water, Reagent Grade Distilled water, Tris(hydroxymethyl)aminomethane, Reagent Grade water as per IS:1070, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Spiral Separator, Sucrose

Searched String: 50X TAE 500 ML

Shaker Incubator, Liquid Consortia (V2), Medical Centrifuge, Laundrometer (Wash Fastness Tester with Standard Accessories), Parallel Bar - Outdoor Gym Equipment, Laboratory Glassware Volumetric Flask, Alcohol Based Hand Sanitizer, Computer Paper (V3) Conforming to IS 12766 (In Packet), Minifuge, Bottle for Chemical Laboratory

Searched String: Calcium chloride dihydrate

Copper (II) chloride dihydrate or Cupric chloride dihydrate, Suction Catheters (V2), Calcium Chloride (ONGC), Calcium Chloride- IS:1314, Flame Photometer, Calcium Chloride (V2) Conforming to IS 1314, PVC (Polyvinyl Chloride) Sheet, Barium Bromide Dihydrate, Skipping Rope (V2), Sodium nitroprusside dihydrate

Searched String: Agar Agar, Type I

AGAR AGAR Bacteriological Powder, Pseudomonas Selective Agar (CFC Agar), Agar Media, computer kiosk, Cetrimide Agar, Coliform Agar, Prelaminated MDF Board, Gelatin Agar, Tributyrin Agar, Glucose agar

Searched String: Tris, Free base, For Molecular Biology

Activity Based Educational Kits for Biology, Bitumen Primer for use in Waterproofing and Damp - Proofing as per IS 3384, Tris(hydroxymethyl)aminomethane

Searched String: SOB Growth Medium

Pyrazinamide (PZA) Medium for Mycobacteria Growth under NTEP, Nitrile Coated/Nitrile Hand Gloves (V2), Plant Growth Chamber, Mycobacteria growth Tubes under NTEP, Community Growth Chart (Preschool Kit), Calcium carbonate (Medium), Hugh Leifson Medium, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Mycobacteria Growth OADC Enrichment under NTEP, Automatic Fire Ball for Fire - Extinguishing

Searched String: Kanamycin Solution w/ 50 mg/ml

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

विड विवरण/Bid Details Kanamycin in 0.9% normal

Budesonide Respirator Solution for use in Nebulizer

Searched String: Ampicillin Solution w/ 100mg/ml
Ampicillin sodium salt in ste

1-Heptanesulphonic acid sodium salt anhydrous

Searched String: Ethylenediaminetetraacetic acid
tripotassium salt dihydrate

Chromotropic acid disodium salt dihydrate, Ammonium acetate, Ferrous Salt + Folic Acid Tablets, Eosin Y Disodium Salt, Ammonium acetate AR Grade, 1-Heptanesulphonic acid sodium salt anhydrous, Sodium Dodecyl Sulfate (SDS), 1-Butanesulphonic Acid Sodium Salt 98% (Sodium -1-Butane Sulphonate), Murexide or Ammonium Purpurate, Sodium diethyldithiocarbamate trihydrate

Searched String: 2-Propanol, ?99.5%, for molecular biology, suitable for RNA e

Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206

Searched String: Surgical Spirit

Spirit level, Surgical Gowns Conforming to IS 17334, Spirit Burner-IS:323, ISO Propyl Alcohol as per IS 2631, Surgical Apron, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Surgical Curette, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Surgical Elevators, Surgical Dissectors

Searched String: Alcohol

Octyl Alcohol, Alcohol Based Hand Sanitizer, Benzyl alcohol, Alcohol Swab, Isopropyl Alcohol (2 - Propanol), tert-Amyl Alcohol, Tertiary Butyl Alcohol, Isoamyl Alcohol (V2), Isopropyl Alcohol (IPA) (ONGC), Markers for White Board (V2)

Searched String: Surface Disinfectant

High Level Surface Disinfectant, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Alcoholic Hand Disinfectant, High Level Medical Device Disinfectant, Phototherapy Machine for (SNCU), Toilet Seat Disinfectant Spray, Multiwell plates for tissue culture, Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, Surface Profile Gauge, Stainless Steel Benches (RDSO Specification)

Searched String: Ethanol

Methyl Di-Ethanol Amine - ONGC, Anhydrous Denatured Ethanol as per IS 15464, Methyl Di Ethanol Amine (MDEA) in tanker, Fuel Dispensing Units, Methyl Di Ethanol Amine (MDEA) (In Kg), Mid - Upper Arm Circumference (MUAC) Tape (V2) - RBSK

Searched String: Beckman Coulter AMPure XP, 5 mL

5 Part Automated Hematology Analyser (V2)

| | |
|--|--|
| बिड विवरण / Bid Details | <p>Searched String: AgPath-ID One-Step RT-PCR Reagents</p> |
| | <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: citric acid, [77-92-9], 500gms/pack</p> <p>Trifluoroacetic acid, Mid - Upper Arm Circumference (MUAC) Tape (V2) - RBSK, Hydrochloric Acid as per IS 265, LCR Meter</p> <p>Searched String: Ethanol absolute99%</p> <p>Methyl Di-Ethanol Amine - ONGC, Methyl Di Ethanol Amine (MDEA) in tanker, Fuel Dispensing Units, Methyl Di Ethanol Amine (MDEA) (In Kg), GLACIAL ACETIC ACID, Anhydrous Denatured Ethanol as per IS 15464, Refrigerant Gas, Straw / Bhusa, NPK Fertilizer, Silver sulfate</p> <p>Searched String: Quick-DNA/RNA Miniprep Plus Kit</p> <p>Nucleic Acid Extraction Kit (Diagnostic Purpose), Nucleic Acid Extraction Kit (For Research Use Only), Viral RNA Extraction Kit</p> <p>Searched String: One step RT-PCR kit</p> <p>Real Time PCR Kits (V2), Digital Trainer Kit, Nucleic Acid Amplification Test (NAAT) based PCR Diagnostic Kit for Human Samples, Real Time PCR Machine (V2), PCR Amplification KIT, CBNAAT MTB / RIF PCR Test Kit, NAAT Based PCR Test Kit, Real Time PCR Machine (V3), Micro PCR MTB Test Kit, Real Time PCR Kit for SARS - CoV - 2 / COVID - 19</p> <p>Searched String: QIAprep Spin Miniprep Kit Plasmid Purification</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dichloromethane</p> <p>Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In kg), Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter)</p> <p>Searched String: Silica GEL 230-400 Mesh Chromatogr 500G</p> <p>TLC Silica Gel 60G Plates, Ice Gel Pack -Medical</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> • Spirit level |
| बीओक्यू शीर्षक /BOQ Title | Chemicals |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 5 Lakh (s) |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) | 10 Lakh (s) |

| बिड विवरण/Bid Details | |
|---|---|
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service | 3 Year (s) |
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover | Yes Complete |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/ Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन / Past Performance | 30 % |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | No |
| बिड का प्रकार/ Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/ Primary product category | cDNA synthesis kit |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |

बिड विवरण/Bid Details

| | |
|------------------------------------|-----------------------|
| मूल्यांकन पद्धति/Evaluation Method | Group wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

| | |
|---|---|
| सक्षम प्राधिकारी का नाम/Name of Competent Authority | Himani Pande |
| सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority | Additional secretary to govt of India |
| सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority | Department for Promotion of Industry and Internal Trade (Public Procurement Division) |
| सीए अनुमोदन संख्या/CA Approval Number | No. P-45021/2/2017-PP(BE-II)-Part (4) Vol.II |
| सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date | 08-07-2025 |
| सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority | The undersigned is directed to refer to Paragraph 4 of the Public Procurement (Preference to Make in India) Order, 2017, dated 19.07.2024 and to say that in case of procurement of scientific equipment/consumables by the scientific and research institutes including higher education institutes offering Doctoral programs, the exemption limit of small purchases for such institutions is increased from Rs 5 lakh to Rs 50 lakh from the date of issuance of this order. However, it shall be ensured by procuring entities that procurement is not split for the purpose of avoiding the provisions of this Order. 2.All other provisions of the PPP-MII Order, 2017 dated 19.07.2024 shall remain unchanged. 3.This issue with the approval of the Competent Authority. |

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|---|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference | 25 |

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in

respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| Evaluation Schedules | Item/Category | Consignee/Reporting Officer | Consignee Address | Quantity |
|----------------------|---|-----------------------------|--|----------|
| Schedule 1 | Cdna Synthesis Kit | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Tb Green Premix Ex Taq li Tli Rnase H Plus | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| Schedule 2 | Ctab Extraction Solution | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Rnaseout | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| | Dnaseout | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| | Rnase Zap | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 5 |
| | Taq Dna Polymerase With Standard Taq Buffer | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| | Quick Cip | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |

| | | | | |
|------------|---|----------------------|--|-----|
| Schedule 3 | Blunt Ta Ligase Master Mix | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| | Kpni Hf | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Nhei Hf | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | 100 Bp Dna Ladder | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | 10 Mm Dntps Mix 0 8ml Per Pack | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Lunascript Multiplex One Step Rt Pcr Kit | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 5 |
| | Q5 Hot Start High Fidelity 2x Master Mix | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 5 |
| Schedule 4 | Te Buffer | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 500 |
| | Molecular Biology Grade Water | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 5 |
| | 50x Tae 500 MI | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| | Calcium Chloride Dihydrate | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Agar Agar Type I | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| | Tris Free Base For Molecular Biology | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Sob Growth Medium | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Kanamycin Solution W 50 Mg MI Kanamycin In 09 Percentage Normal | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| | Ampicillin Solution W 100mg MI Ampicillin Sodium Salt In Ste | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| Schedule 5 | Ethylenediaminetetraacetic Acid Tripotassium Salt Dihydrate | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |

| | | | | |
|-------------|--|----------------------|--|-----|
| Schedule 5 | 2 Propanol 99.5 Percentage For Molecular Biology Suitable For Rnae | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| Schedule 6 | Surgical Spirit | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 20 |
| | Alcohol | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 200 |
| | Surface Disinfectant | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 10 |
| | Ethanol | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 200 |
| Schedule 7 | Beckman Coulter Ampure Xp 5 MI | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| Schedule 8 | Agpath Id One Step Rt Pcr Reagents | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| Schedule 9 | Citric Acid 77 92 9 500gms Per Pack | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| Schedule 10 | Ethanol Absolute 99 Percentage | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 20 |
| Schedule 11 | Quick Dna Rna Miniprep Plus Kit | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 2 |
| Schedule 12 | One Step Rt Pcr Kit | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| Schedule 13 | Qiaprep Spin Miniprep Kit Plasmid Purification | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 1 |
| Schedule 14 | Dichloromethane | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 16 |
| | Silica Gel 230 To 400 Mesh Chromatogr 500g | Manjit Sanjeev Patil | N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) 590010 | 20 |

CDNA Synthesis Kit

तकनीकी विशिष्टियाँ / Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

TB Green Premix Ex Taq II Tli RNase H Plus

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

CTAB Extraction Solution

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

RNaseOUT

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

DNaseOUT

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

RNAse Zap

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 5 | 15 |

Taq DNA Polymerase With Standard Taq Buffer

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

Quick CIP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Blunt TA Ligase Master Mix

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

Kpnl HF

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Nhel HF

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

100 Bp DNA Ladder

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

10 MM DNTPs Mix 0 8ml Per Pack

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

LunaScript Multiplex One Step RT PCR Kit

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 5 | 15 |

Q5 Hot Start High Fidelity 2X Master Mix

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 5 | 15 |

TE Buffer

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 500 | 15 |

Molecular Biology Grade Water

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 5 | 15 |

50X TAE 500 ML

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

Calcium Chloride Dihydrate

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Agar Agar Type I

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

Tris Free Base For Molecular Biology

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

SOB Growth Medium

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Kanamycin Solution W 50 Mg MI Kanamycin In 09 Percentage Normal

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Ampicillin Solution W 100mg MI Ampicillin Sodium Salt In Ste

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Ethylenediaminetetraacetic Acid Tripotassium Salt Dihydrate

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

2 Propanol 99.5 Percentage For Molecular Biology Suitable For RNAe

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Surgical Spirit

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 20 | 15 |

Alcohol

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 200 | 15 |

Surface Disinfectant

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 10 | 15 |

Ethanol

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 200 | 15 |

Beckman Coulter AMPure XP 5 ML

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

AgPath ID One Step RT PCR Reagents

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Citric Acid 77 92 9 500gms Per Pack

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

Ethanol Absolute 99 Percentage

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 20 | 15 |

Quick DNA RNA Miniprep Plus Kit

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 2 | 15 |

One Step RT PCR Kit

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

QIAprep Spin Miniprep Kit Plasmid Purification

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 1 | 15 |

Dichloromethane

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 16 | 15 |

Silica GEL 230 To 400 Mesh Chromatogr 500G

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Manjit Sanjeev Patil | 590010,N.H No. 4, Nehru Nagar, (Opposite KLE Hospital) | 20 | 15 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

5. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Director
ICMR
NITM
Belagavi 590010
Karnataka
.

6. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

7. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

8. Generic

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

12 months
Shelf Life. On the date of supply, minimum
12 months
usable shelf life should be available / balance.

9. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

10. **Rate Contract**

Packing Material The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights. Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

11. **Rate Contract**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

12. **Rate Contract**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

13. **Rate Contract**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

14. **Rate Contract**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

15. **Rate Contract**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

16. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

17. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs

and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---